



Manufacturer's Certification Statement Regarding Eligible Building Envelope Components for The American Recovery and Reinvestment Act of 2009

Amerimax Vinyl Windows, located at 3950 Medford Drive in Loveland, CO 80538 and 1660 Tide Court in Woodland, CA 95776, is the manufacturer of Amerimax Vinyl Windows and Patio Doors.

This certificate applies to only Amerimax manufactured products and serves as verification that the products listed in this document qualify for the Federal Energy Tax Credit by having both a U-Factor of equal to or less than 0.30 and a Solar Heat Gain Coefficient (SHGC) equal to or less than 0.30.

Qualifying Amerimax Products:

The Amerimax products as listed in this document meet or exceed the residential energy efficiency criteria established by passing of The American Recovery and Reinvestment Act of 2009 and are considered Eligible Building Envelope Components that qualify for federal income tax credit as allowed by Internal Revenue Code Section 25C.

Taxpayers claiming a credit for an Eligible Building Envelope Component should save the purchase receipt with tax documents along with this certification statement as part of the taxpayer's records. **Installation of the qualifying products must occur between February 17, 2009 and December 31, 2010.**

NOTE: As in all tax matters, the taxpayer is advised to consult their tax advisor to determine whether they qualify for any potential income tax benefits. The above information is the best available information as of the date shown at the bottom of this letter and is based on the revisions to the federal tax code (U.S. Code Title 26, Section 25C) as updated by the American Recovery and Reinvestment Act of 2009 signed into law on February 17, 2009. More information may become available on qualification standards and this document will be updated as necessary. Amerimax and its sales partners assume no liability regarding the homeowner's ability to obtain tax credits. See more details on federal energy tax credits at: www.energystar.gov/index.cfm?c=windows_doors.pr_taxcredits

Under penalties of perjury, I declare that I have examined this certification statement, and to the best of my knowledge and belief, the facts are true, correct, and complete.

Garret Maurer
General Manager
Amerimax Vinyl Windows

- Updated March 10, 2009

3950 Medford Drive
Loveland, CO 80528

(970)667-8660

FAX (866) 667-0609

(800)827-4369

www.amerimaxwindows.com



<i>Craftsman Portrait</i>	<i>Frame Type</i>	<i>DP Ratings (up to)</i>	Ameriglass AG3 Neat								Ameriglass E2							
			AG3 Neat, No Grids, Argon fill True Warm Spacer				AG3 Neat, with 5/8" Grids, Argon fill True Warm Spacer				LoE2, No Grids, Argon fill True Warm Spacer				LoE2, with 5/8" Grids, Argon fill True Warm Spacer			
			U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR
XO, OX, XOX Horizontal slider	Integral Stucco Fin	R30	0.29	0.22	0.51	61	0.29	0.20	0.46	61	0.29	0.30	0.56	61	0.29	0.27	0.50	61
	Block/Nail Fin		0.29	0.22	0.51	61	0.28	0.20	0.46	61	0.29	0.30	0.56	61	0.29	0.27	0.50	61
Single Hung	Integral Stucco Fin	R40	0.29	0.22	0.51	59	0.29	0.20	0.45	60	0.29	0.29	0.55	60	0.29	0.26	0.49	60
	Block/Nail Fin		0.28	0.22	0.51	60	0.29	0.20	0.45	60	0.29	0.29	0.55	60	0.29	0.26	0.49	60
Fixed Lite Picture Window	Integral Stucco Fin	C40	0.28	0.23	0.54	62	0.28	0.21	0.48	62	0.28	0.31	0.58	61	0.28	0.28	0.52	61
	Block/Nail Fin		0.28	0.23	0.54	62	0.28	0.21	0.48	62	0.28	0.31	0.58	61	0.28	0.28	0.52	61

<i>Master's Grande</i>	<i>Frame Type</i>	<i>DP Ratings (up to)</i>	Ameriglass AG3 Neat								Ameriglass E2							
			AG3, No Grids, Argon fill True Warm Spacer				AG3 Neat, with 5/8" Grids, Argon fill True Warm Spacer				LoE2, No Grids, Argon fill True Warm Spacer				LoE2, with 5/8" Grids, Argon fill True Warm Spacer			
			U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR
Double horizontal slider	Integral Stucco Fin	R25	0.28	0.22	0.52	59	0.28	0.20	0.47	59	0.28	0.30	0.56	59	0.28	0.27	0.50	59
	Block/Nail Fin		0.27	0.22	0.52	59	0.28	0.20	0.47	59	0.28	0.30	0.56	59	0.28	0.27	0.50	59
Double Hung	Integral Stucco Fin	R35	0.27	0.22	0.52	64	0.27	0.20	0.46	64	0.28	0.30	0.56	63	0.28	0.27	0.50	63
	Block/Nail Fin		0.27	0.22	0.52	64	0.27	0.20	0.46	64	0.28	0.30	0.56	63	0.28	0.27	0.50	63
Fixed Lite Picture Window	Integral Stucco Fin	HC50	0.29	0.23	0.54	61	0.29	0.21	0.48	61	0.29	0.31	0.58	61	0.29	0.28	0.52	61
	Block/Nail Fin		0.28	0.23	0.54	61	0.28	0.21	0.48	61	0.29	0.31	0.58	61	0.29	0.28	0.52	61

<i>Aristocrat Casement</i>	<i>Frame Type</i>	<i>DP Ratings (up to)</i>	Ameriglass AG3 Neat								Ameriglass E2							
			AG3, No Grids, Argon fill True Warm Spacer				AG3 Neat, with 5/8" Grids, Argon fill True Warm Spacer				LoE2, No Grids, Argon fill True Warm Spacer				LoE2, with 5/8" Grids, Argon fill True Warm Spacer			
			U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR
Single Vent	All	R50	0.26	0.19	0.43	63	0.26	0.17	0.39	63	0.27	0.25	0.47	63	0.27	0.23	0.47	63
XX, XO/OX, XOX Casement	All	R50	0.26	0.19	0.43	63	0.26	0.17	0.39	63	0.27	0.25	0.47	63	0.27	0.23	0.47	63
Awning	All	C50	0.26	0.19	0.43	61	0.26	0.16	0.39	61	0.26	0.25	0.46	61	0.26	0.23	0.46	61
Casement Picture Window	All	HC45	0.26	0.22	0.50	62	0.26	0.20	0.45	62	0.27	0.29	0.54	61	0.27	0.26	0.48	61

<i>Patio Doors</i>	<i>Frame Type</i>	<i>DP Ratings (up to)</i>	Ameriglass AG3 Neat								Ameriglass E2							
			AG3, No Grids, Argon fill True Warm Spacer				AG3 Neat, with 5/8" Grids, Argon fill True Warm Spacer				LoE2, No Grids, Argon fill True Warm Spacer				LoE2, with 5/8" Grids, Argon fill True Warm Spacer			
			U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR	U-Value	SHGC	VT	CR
New Horizons 5500	All	R45	0.28	0.22	0.52	57	0.28	0.20	0.45	57	0.28	0.30	0.56	57	0.28	0.26	0.49	57
Riveria French Slider	All	R25	0.29	0.18	0.42	60	0.29	0.16	0.36	60	0.29	0.25	0.46	59	0.29	0.22	0.40	59
Classic French hinged	All	R30	0.29	0.19	0.44	62	0.29	0.14	0.38	62	0.29	0.28	0.48	62	0.29	0.22	0.42	62

* - updated March 20, 2011